

Highend speaker

Passive loudspeaker with a unique design and finish

Purifi USHINDI driver with ultra low distortion for crystal-clear sound

Air motion transformer and neodymium magnets for precise and dynamic reproduction

Support of bi-wiring and bi-amping for enhanced flexibility

Aluminium waveguide with magnetic speaker cover for easy removal

Massive aluminium stand with innovative decoupling technology

LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics – Made in Germany.













### Highend speaker



#### Finest aesthetics and craftsmanship.

Introducing our high-end passive speaker, where art meets engineering. Available in a stunning fractal walnut wood front or white matt, this speaker is not just a sound system - it's a statement piece that enhances any space. Elevate your home decor while indulging in extraordinary sound quality.



#### Precision engineering for exceptional sound.

Experience sound like never before with the Purifi USHINDI speaker driver. Featuring Ultra Low Distortion Transducer Technology, this driver virtually eliminates distortion and delivers unparalleled sound clarity. The innovative PURIFI NeutralSurround technology ensures a smooth response, while the PermanentCore design creates a grain-free backdrop for your music, allowing you to hear every detail as the artist intended.



#### Dynamic audio performance.

Feel the power of sound with our Air Motion Transformer (AMT) and robust neodymium magnets. These advanced technologies deliver precise, dynamic audio that immerses you in your favorite music, movies, and games. Prepare to be captivated by the depth and detail of your audio experience.



#### Innovative design for enhanced sound.

The solid aluminum stand incorporates cutting-edge decoupling technology, ensuring that your speaker delivers the purest sound possible. This design not only enhances audio performance but also provides a stylish and stable base for your listening enjoyment.



### Versatile connectivity options.

Unlock your audio system's full potential with our biwiring and bi-amping capabilities. Tailor your setup to suit your listening preferences and achieve enhanced performance with flexible connectivity options that adapt to your unique sound needs.



### Convenient maintenance with style.

Enjoy easy access to your speakers with the magnetic cover that allows for quick removal. This thoughtful design not only simplifies maintenance but also enhances the aesthetic appeal of your speaker, allowing you to showcase the beauty of the craftsmanship underneath.

### **Achievements**



"Gorgeous in appearance, well thought out down to the last detail and with a sound that is almost overwhelmingly atmospheric and controlled - the grand inicio is a more than promising debut from Loewe."

FIDELITY magazine, March/April 2025, about Loewe grand inicio



"The drivers from Purifi Audio are at the heart of the speakers' sound, while extravagant details on the outside fulfil Loewe's high design ethos."

AUDIO stereoplay magazine, 3/2025, about Loewe grand inicio

## Highend speaker

Speaker s	ize				
grand inicio stand speake	r	[ ]	inicio shelve speak	er	[]
Configura	tion				
stereo pair		[ ]	multi channe (please speci		
Main colo	ur				
	grand incio: fractal walnut + titanium	[]		incio: walnut + titanium	[ ]
				white + titanium	[ ]
Speaker c	over				
	black				
System co	omponents				
multi.room aı	mp	[ ]			
Loewe multi.roor	n amp Color multiroom and homecinema	our _	Samuel	Model	Article
	.200 watts total music power	black	0	multi.room amp	61600

Highend speaker

Additional information

## www.loewe.tv



## my Loewe app



### Your Loewe contact

## We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

### Your Loewe dealer

### Highend speaker

Technical data			
Loewe highend speaker	grand inicio	inicio	
Audio (acoustic)			
Frequency range (ca. Hz) @ ±3 dB	35-22.000	45-22.000	
Max. sound pressure level (ca. dB SPL) @ 1m, pink noise, max. vol.	89	86	
Max. load capacity	400 @ 4Ω	200 @ 4Ω	
Orientation front / side / up / rear firing	•/-/-	•/•/-/-	
Acoustic speaker concept	bass reflex	closed	
Channel configuration (speaker layout)	2.0 (stereo pair)	2.0 (stereo pair)	
Driver total amount	3	4	
Driver active	1x AMT, 2x 6,5"	1x AMT, 1x 4"	
Driver passive	passive —		
annel crossover • @ 2.300 Hz		• @ 3.500 Hz	
Connectivity and interfaces	<del></del>		
Speaker terminals	• (stereo)	• (stereo)	
Banana plugs	• (stereo)	• (stereo)	
Terminals and plugs gold plated	•	•	
Bi-wiring	0	0	
Energy and environment			
Ambient temperature while in operation	5-40° C	5-40° C	
Relative humidity (non-condensing)	35-90%	35-90%	
Dimensions	<u>—</u>		
Weight (ca. kg)	33,5	7,5	
W* x H x D (ca. cm)	26,0 x 135,0 x 30,0	18,5 x 30,0 x 27,5	
Scope of Delivery			
Manual	•	•	
Other cables	Bridge wire, speaker cable (4 m)	Bridge wire, speaker cable (5 m)	
Others	Stand, spikes, leveler, speaker cover	Speaker cover	
Optional accessories		·	
Selection of recommended audio systems	multi.room amp	multi.room amp	
Specials	AMT: Air Motion Transformer	AMT: Air Motion Transformer	
	Powerful neodymium magnets	Powerful neodymium magnets	
	Massive aluminium wave guide	Massive aluminium wave guide	
	Large but lightweight and stiff alloy membranes	Lightweight and stiff alloy membrane	
	Four-layer, copper-plated alloy coil with 39 mm diameter	Four-layer, copper-plated alloy coil with 30 mm diamete	
	Glass fibre reinforced carrier	Glass fibre reinforced carrier	
	Ultralinear positive and negative excursion	Ultralinear positive and negative excursion	
	Neutral speaker bead geometry	Neutral speaker bead geometry	
	Ventilated die-cast basket	Ventilated die-cast basket	
	Screw sockets for spikes, pucks or base plate	Screw sockets for spikes, pucks or base plate	

<sup>• =</sup> available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party.