

Loewe **stellar**

VIDAA

The craft design TV with Loewe dual channel dr+ and Vidaa

High performance OLED modules designed, engineered and tailored by Loewe in Kronach

Dual channel dr+ system with twin triple-tuner and SSD for multi recording

Full support of HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming

Rich variety of smart streaming apps and VOD services with Vidaa OS

Powerful integrated sound bar and center-in for superior audio performance

Optional ultra-slim wall mount or motorized floor stand

Sophisticated design with real materials and magic moments of light and motion

NETFLIX YouTube prime video Disney+ tv Spotify CLOUD GAMING HD+ ZATTOO MAGENTA TV

VIDAA Works with Apple AirPlay works with alexa Wi Fi CERTIFIED matter

Dolby VISION IQ Dolby ATMOS dts HD dts X Bluetooth USB HDMI

LOEWE. was established by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.
Today we still design, develop and produce consumer electronics – Made in Germany.

ISO 9001 Certified Quality Management System www.tuvsud.com/ms-cert

Data sheet
Loewe **stellar vi**
November 2026

LOEWE.
Home of Excellence.

www.loewe.tv

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa







Home-made OLED modules

The latest generation and technology of OLED open cells with master black polarizer offer highest brightness and unparalleled motion picture performance in Ultra HD resolution.

The OLED modules are designed, engineered and tailored by Loewe in Kronach with alu-compound back-forming, massive alu frame and back-cover made of aluminum, concrete or lava.

Pre-calibrated in our factory and supporting Dolby Vision IQ, these displays meet all relevant filmmaker picture and colour standards for a perfectly natural and impressive reproduction of movie, TV and games.

Loewe dual channel dr+

Equipped with a dual channel chassis, double triple-tuners and a large SSD integrated in the 77-97 inch diagonals, the Loewe dr+ system offers multiple recording possibilities from EPG programmed recording to spontaneous timeshift functions.

Tuners for DVB-T2/C/S2 HD and an easy accessible CI slot support various reception and recording scenarios.

The Solid State Drive in the big screen models is perfect for video applications and both energy efficient, extra fast and absolutely noise-less for maximum comfort.

Vidaa OS

Loewe os9 based on Vidaa is a most convenient and fast smart operating system. The app store offers a curated selection of smart apps and a rich variety of video-on-demand services, including e.g. Netflix, YouTube, Disney+ and more.

The system is also compatible with advanced networking features: The support of dlna, Miracast, Apple AirPlay and Matter allow comfortable content sharing and control via the home network.

Flexible connectivitywith HDMI 2.1 inputs including Ultra HD @ 144 Hz VRR ensures full support of latest game consoles.







Integrated sound bar and magic.light

Behind a high-gloss black spray-painted metal loudspeaker grill or special acoustic fabric in matt black, an impressive soundbar from 80 up to 300 watts fires directly to the front.

Framed in perfect harmony with the Loewe signature. ring and the Loewe magic.light - for a discretely welcome and farewell animation or an atmospheric illumination during movie watching.

Simply adjust it as desired in any colour of the rainbow, at different brightness and saturation levels, by the touch of a button on the Loewe stellar remote.

The dedicated Center-Input allows to apply Loewe stellar as the important Center-Speaker in a multi channel home cinema environment.

Design craftsmanship

Sophisticated craft design and clever construction details from the in-house Loewe design and innovation studio.

Created with selected real materials like a four-sided brushed full aluminum frame in a diamond-cut shape, real glas-fiber enforced concrete or aluminum on the back panel and a rotatable table stand made of massive aluminum with a fine hairline-brushed finish. The real concrete back-cover gives each TV its unique fingerprint.

All connections are hidden, and all cables are well guided and hidden by the integrated cable management plus cable covers in the light grey rear cabinet. The solid VESA bolts support any mounting solution.

Sophisticated setup solutions

The Loewe magic.motion feature rotates the TV set on the motorized optional Loewe floor stand motor stellar by a touch of a button on the Loewe remote stellar up to 45° left or right - absolutely silently and smooth.

Of course the floor stand is also made of massive aluminum with a fine hairline-brushed finish. The optional floor2ceiling stand creates a spectacular free-floating 360° presentation.

The optional or in stellar 77-97 already integrated Loewe wall mount stellar allows an impressive display presentation closely attached to the wall.

Data sheet
Loewe **stellar vi**
November 2026

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Achievements

“The Loewe stellar 65 dr+ stands out for its elegant design and cutting-edge tech crafted in Germany. Stellar isn’t just a television, it’s a showpiece that transforms your space.”
EISA AWARD, August 2025, about Loewe stellar 65 (model year 2025)
Best Product 2025-2026
PREMIUM OLED TV

“This television is a piece of furniture designed from all sides, which is characterised by aesthetics and a new design language and can be placed anywhere in the room.”
International Forum Design, spring 2025, about Loewe stellar 83-97 (model year 2025)
iF DESIGN AWARD 2025

“The Loewe stellar 83 and Loewe stellar 97 televisions display their sophisticated aesthetics from every angle, thereby emphasising their positioning in the premium segment.”
Red Dot, summer 2025, about Loewe stellar 83-97 (model year 2025)
reddot winner 2025

“The TV model stellar shines with latest display technology, powerful hardware and new design language which lift an OLED TV in new dimension.”
International Forum Design, spring 2024, about Loewe stellar 42-65 (model year 2024)
iF DESIGN AWARD 2024

“The Loewe stellar is an OLED television that, thanks to the modular construction of its display module, offers a multitude of possibilities for material combinations.”
Red Dot, summer 2024, about Loewe stellar 42-65 (model year 2024)
reddot winner 2024

“Made in Germany: This Loewe OLED surprises in the COMPUTER BILD test. The Loewe Stellar 55 vi is a luxury television with the best screen technology. It is currently the best television from the traditional German manufacturer.”
computerbild.de, 08.02.2026, about Loewe stellar 55 vi
Test result: TEST WINNER
Test mark: 1,2, very good

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

TV

Loewe stellar 77-97
Scope of delivery includes TV set with integrated sound bar and wall mount
stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 7,1
stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 7,1
stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 7,1
flat and tiltable mounting

alu brushed + alu
alu black + black

Model	Article
stellar 97 vi	64468
stellar 83 vi	64464
stellar 77 vi	64459









Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

TV

Loewe stellar 42-65
Scope of delivery includes TV set with integrated sound bar and table stand
stellar 65: W* x H x PD / TD = 146,8 x 94,0 x 4,7 / 27,5
stellar 55: W* x H x PD / TD = 124,9 x 81,7 x 4,7 / 27,5
stellar 48: W* x H x PD / TD = 109,3 x 72,9 x 4,7 / 19,5
stellar 42: W* x H x PD / TD = 95,8 x 65,4 x 4,7 / 19,5
table stand manually rotatable (+/- 45°), concealed cable routing

alu brushed + concrete
alu black + lava
alu brushed + alu

Model	Article
stellar 65 vi	64456
stellar 55 vi	64455
stellar 48 vi	64454
stellar 42 vi	64449



Subwoofer

Loewe klang sub1
Active wireless subwoofer
to complement the TV



basalt grey klang sub1 60610

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Setup solutions

Stand solutions

table stand motor stellar
stellar 83: W* x H x PD / TD = 187,5 x 122,7 x 7,0 / 41,0
stellar 77: W* x H x PD / TD = 173,9 x 115,2 x 7,0 / 41,0
motorized rotatable (+/- 45°), concealed cable routing

floor stand motor stellar
stellar 83: W* x H x PD / TD = 187,5 x 163,2 x 7,0 / 69,5
stellar 77: W* x H x PD / TD = 173,9 x 155,7 x 7,0 / 69,5
stellar 65: W* x H x PD / TD = 146,8 x 133,2 x 4,7 / 49,1
stellar 55: W* x H x PD / TD = 124,9 x 120,9 x 4,7 / 35,2
stellar 48: W* x H x PD / TD = 109,3 x 112,1 x 4,7 / 35,2
stellar 42: W* x H x PD / TD = 95,8 x 104,6 x 4,7 / 35,2
motorized rotatable (+/- 45°), concealed cable routing

floor2ceiling stand
stellar 97: W* x H x PD / TD = 218,2 x 220-290 x 7,0 / 16,6
stellar 83: B* x H x TP / TG = 187,5 x 220-290 x 7,0 / 16,69
stellar 77: B* x H x TP / TG = 173,9 x 220-290 x 7,0 / 16,6
stellar 65: W* x H x PD / TD = 146,8 x 220-290 x 4,7 / 15,6
stellar 55: W* x H x PD / TD = 124,9 x 220-290 x 4,7 / 15,6
stellar 48: W* x H x PD / TD = 109,3 x 220-290 x 4,7 / 15,6
stellar 42: W* x H x PD / TD = 95,8 x 220-290 x 4,7 / 15,6
manually rotatable (+/- 110°), concealed cable routing,
height adjustable (220-290 cm), direct mounting without adapter

floor stand flex
stellar 65: W* x H x PD / TD = 146,8 x 129,8 x 4,7 / 54,0
stellar 55: W* x H x PD / TD = 124,9 x 117,5 x 4,7 / 54,0
stellar 48: W* x H x PD / TD = 109,3 x 108,7 x 4,7 / 54,0
stellar 42: W* x H x PD / TD = 95,8 x 101,2 x 4,7 / 54,0
manually rotatable (+/- 45°), concealed cable routing,
with or without carrier for accessory tray or soundbar

floor stand grand
stellar 65: W* x H x PD / TD = 146,8 x 163,2 x 4,7 / 60,0
stellar 55: W* x H x PD / TD = 124,9 x 150,9 x 4,7 / 60,0
stellar 48: W* x H x PD / TD = 109,3 x 142,2 x 4,7 / 60,0
stellar 42: W* x H x PD / TD = 95,8 x 134,6 x 4,7 / 60,0
manually rotatable (+/- 45°), concealed cable routing

floor stand universal
stellar 65: W* x H x PD / TD = 146,8 x 133,8 x 4,7 / 52,5
stellar 55: W* x H x PD / TD = 124,9 x 121,6 x 4,7 / 52,5
stellar 48: W* x H x PD / TD = 109,3 x 112,8 x 4,7 / 52,5
stellar 42: W* x H x PD / TD = 95,8 x 105,2 x 4,7 / 52,5
manually rotatable (+/- 45°), concealed cable routing











Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Setup solutions

Wall solutions

wall mount stellar
stellar 65:W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 6,5
stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 6,5
stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 6,5
stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 6,5
flat and tiltable mounting

wall mount universal
stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 9,0
stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 9,0
stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 9,0
stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 9,0
tiltable mounting

wall mount slim 432
stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 10,2
stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 10,2
stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 10,2
stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 7,3
stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 7,3
stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 7,3
stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 7,3
flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Remote control

Loewe remote vi
Remote control with aluminium cover, LED indicators, IR and Bluetooth mode, optional voice control and backlight illumination of the cursor ring



System components

Loewe multi.room amp
Stereo amplifier for multiroom and homecinema installations with 1.200 watts total music power



	Model	Article
black	multi.room amp	61600

We. BOOST
Wireless plug & play home theater system



ash grey	We. BOOST	64720

We. BOOST center
Home theater center speaker for We. BOOST system



ash grey	We. BOOST center	64730

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Home Automation & Hotel TV

H*****

Loewe TV sets based on the SL8 chassis family offer flexible connectivity and can be seamlessly integrated into hotel and smart home environments via dedicated interfaces.

The **Loewe Hotel TV Mode** offers a powerful stand-alone option, providing a wide range of hotel features right out of the box without requiring any system integration.

The most popular compact screen sizes of Loewe and We. by Loewe TV models feature a **Kensington** anti-theft lock for protecting them in a hospitality environment.

The **Loewe Hotel API** was specially developed for use in the hospitality industry. This interface enables the direct integration of the television into hotel system solutions. This turns the TV into the central control unit for the entire hotel room, guaranteeing an individually customizable guest experience and tailored comfort.

HOTEZA roomio

The **Loewe Remote API** allows for convenient control of the television in the smart home. Since the interface is already supported by leading home automation providers, integration into individual system solutions is quick and reliable.

basalte Control4 CRESTRON ELAN

Detailed information on implemented functions, protocols and drivers is available via Loewe Service.



Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Impressions







Data sheet
Loewe **stellar vi**
November 2026

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Impressions







Data sheet
Loewe **stellar vi**
November 2026

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Additional information

www.loewe.tv

my Loewe app

Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe stellar vi

	97	83	77
Design			
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar	stellar
Optional colour variant(s)	alu brushed + alu | alu black + black	alu brushed + alu | alu black + black	alu brushed + alu | alu black + black
Main materials applied	alu, concrete, glass	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	—	—	—
Prestigious Awards	—	iF Design, Red Dot	iF Design, Red Dot
Durability index (France)	5,6	tba	tba
Service friendly / modular / repairable	● / ● / ●	● / ● / ●	● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	o / o / ● / o / o	o / o / ● / o / o	o / o / ● / o / o
Sound solutions: passive / active / stereo / multi channel	o / ● / ● / o	o / ● / ● / o	o / ● / ● / o
Image			
Screen resolution (pixel)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal	97" (245 cm)	83" (210 cm)	77" (195 cm)
Panel luminance (acc. to panel spec @ HDR 10%)	1.100 cd/m² (typ.)	2.500 cd/m² (typ.)	2.500 cd/m² (typ.)
Ex-works individual calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / ABC / AI PQ / Adaptive contrast / WCG / 24p	● / ● / ● / ● / ● / ●	● / ● / ● / ● / ● / ●	● / ● / ● / ● / ● / ●
HDR / HLG / HDR10 / HDR10+ / Dolby Vision	● / ● / ● / ● / ● (incl. IQ PD)	● / ● / ● / ● / ● (incl. IQ PD)	● / ● / ● / ● / ● (incl. IQ PD)
Audio			
Power (sine / music) / Number of drivers (active + passive)	2 x 75 W / 2 x 150 W / 6 (6 + 0)	2 x 75 W / 2 x 150 W / 6 (6 + 0)	2 x 75 W / 2 x 150 W / 6 (6 + 0)
Acoustic speaker concept	active bar + bass reflex	active bar + bass reflex	active bar + bass reflex
Front firing / down firing / 2-channel crossover	● / — / ●	● / — / ●	● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / AVC / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Receiption			
DVB-T2 HD / DVB-C HD / DVB-S2 HD / DVB radio	● (80 mA) / ● / ● (500 mA) / ●	● (80 mA) / ● / ● (500 mA) / ●	● (80 mA) / ● / ● (500 mA) / ●
Dual channel / twin triple tuner / DiSEqC / Unicable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) / VVC (H.266)	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice	● / VIDAA Voice
Loewe dr+: integrated memory	1 TB SSD	1 TB SSD	1 TB SSD
EPG / Timeshift / USB recording / multi recording	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity, interfaces and features			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (120 Hz)	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● (Cinch L/R)/ ● / —	● / ● (Cinch L/R)/ ● / —	● / ● (Cinch L/R)/ ● / —
Audio out control: fix / variable / sub (3,5 mm jack)	● / ● / ● (via menu)	● / ● / ● (via menu)	● / ● / ● (via menu)
Loewe magic.light / magic.motion	● /o (via USB-A 2,0A)	● /o (via USB-A 2,0A)	● /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17/C18	C17/C18	C17/C18
Energy			
EU energy efficiency class: SDR / HDR	G / F	D / F	E / G
EPREL registration No.: https://eprel.ec.europa.eu	2383987	2787958	2787956
Energy consumption SDR / HDR	190 kWh/1000h / 170 kWh/1000h	96 kWh/1000h / 145 kWh/1000h	95 kWh/1000h / 160 kWh/1000h
Power consumption cast mode / home automation (watts)	20 W	20 W	20 W
Power consumption max. @ audio 1/8 volume	800 W	700 W	650 W
Power consumption standby / network standby	0,5 W / 0,7 W	0,5 W / 0,7 W	0,5 W / 0,7 W
Mains voltages / power switch / off mode	220-240 V, 50/60 Hz / ● / 0,0 W	220-240 V, 50/60 Hz / ● / 0,0 W	220-240 V, 50/60 Hz / ● / 0,0 W
Dimensions (* incl. signature flag: ca. 1 cm)			
Weight (ca. kg) excl. / incl. standard setup solution	66,5 kg / 68,2 kg	50,8 kg / 52,5 kg	47,8 kg / 49,5 kg
W* x H x D (cm) without setup solution	218,2 x 133,8 x 7,0	187,3 x 116,2 x 7,0 cm	173,9 x 108,9 x 7,0 cm
W* x H x D (cm) incl. table stand	—	187,3 x 122,4 x 41,0 cm	173,9 x 115,2 x 41,0 cm
VESA support (mm) / Kensington lock	400 x 200 / —	400 x 200 / —	400 x 200 / —
Scope of Delivery			
Speaker	integrated (active soundbar)	integrated (active soundbar)	integrated (active soundbar)
Setup solution / rotating	integrated wall mount / fix	integrated wall mount / fix	integrated wall mount / fix
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
	multi.room amp	floor stand motor stellar	floor stand motor stellar
		table stand motor stellar	table stand motor stellar
		multi.room amp	wall mount slim 432
			multi.room amp

● = available, o = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe stellar vi

	65	55
Design		
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar
Optional colour variant(s)	alu black + lava | alu brushed + concrete	alu black + lava | alu brushed + concrete
Main materials applied	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)
Prestigious Awards	iF Design, Red Dot, EISA	iF Design, Red Dot, EISA
Durability index (France)	7,2	7,1
Service friendly / modular / repairable	● / ● / ●	● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	o / o / ● / o / o	o / o / ● / o / o
Sound solutions: passive / active / stereo / multi channel	o / ● / ● / o	o / ● / ● / o
Image		
Screen resolution (pixel)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal	65" (164 cm)	55" (139 cm)
Panel luminance (acc. to panel spec @ HDR 10%)	2.500 cd/m² (typ.)	2.500 cd/m² (typ.)
Ex-works individual calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●
UHD scaling / ABC / AI PQ / Adaptive contrast / WCG / 24p	● / ● / ● / ● / ● / ●	● / ● / ● / ● / ● / ●
HDR / HLG / HDR10 / HDR10+ / Dolby Vision	● / ● / ● / ● / ● (incl. IQ PD)	● / ● / ● / ● / ● (incl. IQ PD)
Audio		
Power (sine / music) / Number of drivers (active + passive)	2 x 20 W / 2 x 40 W / 10 (6 + 4)	2 x 20 W / 2 x 40 W / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	● / — / ●	● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / AVC / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Receiption		
DVB-T2 HD / DVB-C HD / DVB-S2 HD / DVB radio	● (80 mA) / ● / ● (500 mA) / ●	● (80 mA) / ● / ● (500 mA) / ●
Dual channel / twin triple tuner / DiSEqC / Unicable	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) / VVC (H.266)	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
Loewe dr+: integrated memory	●	●
EPG / Timeshift / USB recording / multi recording	● / ● / ● / ●	● / ● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●
Connectivity, interfaces and features		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● (Cinch L/R)/ ● / —	● / ● (Cinch L/R)/ ● / —
Audio out control: fix / variable / sub (3,5 mm jack)	● / ● / ● (via menu)	● / ● / ● (via menu)
Loewe magic.light / magic.motion	● /o (via USB-A 2,0A)	● /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17/C18	C17/C18
Energy		
EU energy efficiency class: SDR / HDR	E / G	E / G
EPREL registration No.: https://eprel.ec.europa.eu	2731688	2731682
Energy consumption SDR / HDR	79 kWh/1000h / 137 kWh/1000h	67 kWh/1000h / 90 kWh/1000h
Power consumption cast mode / home automation (watts)	15 W	15 W
Power consumption max. @ audio 1/8 volume	400 W	300 W
Power consumption standby / network standby	0,4 W / 0,5 W	0,4 W / 0,5 W
Mains voltages / power switch / off mode	220-240 V, 50/60 Hz / ● / 0,0 W	220-240 V, 50/60 Hz / ● / 0,0 W
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	20,5 kg / 23,1 kg	16,6 kg / 19,1 kg
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7 cm	124,9 x 76,5 x 4,7 cm
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5 cm	124,9 x 81,7 x 27,5 cm
VESA support (mm) / Kensington lock	300 x 200 / ●	300 x 200 / ●
Scope of Delivery		
Speaker	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand
	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex
	floor stand universal	floor stand universal
	wall mount universal	wall mount universal
	wall mount slim 432	wall mount slim 432
	wall mount stellar	wall mount stellar
	multi.room amp	multi.room amp

● = available, o = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe stellar vi

	48	42
Design		
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar
Optional colour variant(s)	alu black + lava | alu brushed + concrete	alu black + lava | alu brushed + concrete
Main materials applied	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)
Prestigious Awards	iF Design, Red Dot, EISA	iF Design, Red Dot, EISA
Durability index (France)	7,2	7,1
Service friendly / modular / repairable	● / ● / ●	● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	o / o / ● / o / o	o / o / ● / o / o
Sound solutions: passive / active / stereo / multi channel	o / ● / ● / o	o / ● / ● / o
Image		
Screen resolution (pixel)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal	48" (121 cm)	42" (106 cm)
Panel luminance (acc. to panel spec @ HDR 10%)	1.500 cd/m² (typ.)	800 cd/m² (typ.)
Ex-works individual calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●
UHD scaling / ABC / AI PQ / Adaptive contrast / WCG / 24p	● / ● / ● / ● / ● / ●	● / ● / ● / ● / ● / ●
HDR / HLG / HDR10 / HDR10+ / Dolby Vision	● / ● / ● / ● / ● (incl. IQ PD)	● / ● / ● / ● / ● (incl. IQ PD)
Audio		
Power (sine / music) / Number of drivers (active + passive)	2 x 20 W / 2 x 40 W / 10 (6 + 4)	2 x 20 W / 2 x 40 W / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	● / — / ●	● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / AVC / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Receiption		
DVB-T2 HD / DVB-C HD / DVB-S2 HD / DVB radio	● (80 mA) / ● / ● (500 mA) / ●	● (80 mA) / ● / ● (500 mA) / ●
Dual channel / twin triple tuner / DiSEqC / Unicable	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) / VVC (H.266)	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
Loewe dr+: integrated memory	●	●
EPG / Timeshift / USB recording / multi recording	● / ● / ● / ●	● / ● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●
Connectivity, interfaces and features		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● (Cinch L/R)/ ● / —	● / ● (Cinch L/R)/ ● / —
Audio out control: fix / variable / sub (3,5 mm jack)	● / ● / ● (via menu)	● / ● / ● (via menu)
Loewe magic.light / magic.motion	● /o (via USB-A 2,0A)	● /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17/C18	C17/C18
Energy		
EU energy efficiency class: SDR / HDR	F / G	G / G
EPREL registration No.: https://eprel.ec.europa.eu	2731678	2731652
Energy consumption SDR / HDR	57 kWh/1000h / 65 kWh/1000h	52 kWh/1000h / 60 kWh/1000h
Power consumption cast mode / home automation (watts)	15 W	15 W
Power consumption max. @ audio 1/8 volume	200 W	170 W
Power consumption standby / network standby	0,4 W / 0,5 W	0,4 W / 0,5 W
Mains voltages / power switch / off mode	220-240 V, 50/60 Hz / ● / 0,0 W	220-240 V, 50/60 Hz / ● / 0,0 W
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	20,5 kg / 23,1 kg	16,6 kg / 19,1 kg
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7 cm	124,9 x 76,5 x 4,7 cm
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5 cm	124,9 x 81,7 x 27,5 cm
VESA support (mm) / Kensington lock	300 x 200 / ●	300 x 200 / ●
Scope of Delivery		
Speaker	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand
	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex
	floor stand universal	floor stand universal
	wall mount universal	wall mount universal
	wall mount slim 432	wall mount slim 432
	wall mount stellar	wall mount stellar
	multi.room amp	multi.room amp

● = available, o = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.