



Loewe **antares**

Legendary design, infinite possibilities

Ex-works calibrated 4K Ultra HD OLED modules designed, engineered and tailored by Loewe in Kronach

Dual channel system with twin triple-tuner for USB recording

Full support of HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming

Rich variety of smart streaming apps and VOD services

Monitor look with Loewe invisible sound and modular Loewe soundbar antares

Rotating and height-adjustable table stand, optional wall mounts and floor stands

Individual widescreen design with exchangeable aluminium onlays

NETFLIX

YouTube

prime video

Disney+

Apple tv

Spotify

DEEZER

HD +

ZATTOO

MAGENTA TV

VIDAA

Works with **Apple AirPlay**

works with **alexa**

WiFi CERTIFIED

matter

Dolby VISION IQ

Dolby ATMOS

dtshd

dtsex

Bluetooth

CERTIFIED USB

HDMI

LOEWE. was established by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.

Today we still design, develop and produce consumer electronics – Made in Germany.



Data sheet
Loewe **antares**
July 2026

LOEWE.
Home of Excellence.

www.loewe.tv



Loewe antares

Legendary design, infinite possibilities



OLED module Made by Loewe

Enjoy breathtaking picture quality thanks to state-of-the-art OLED technology. Every LTY OLED module produced by Loewe in Kronach is individually calibrated at the factory, delivering perfect blacks, vibrant, natural colours, maximum contrast and impressive detail in 4K Ultra HD resolution.

Advanced HDR formats such as Dolby Vision IQ, including HDR10+ Adaptive, optimise every scene according to the filmmakers' specifications for cinematic picture performance, ensuring a truly captivating viewing experience.



Loewe dual channel

Loewe antares offers maximum flexibility for entertainment and recording. The dual channel platform with twin triple tuners enables USB recording, parallel TV viewing and timeshift functions. Based on the latest-generation Loewe SL8 chassis with Vidaa U9 and AI-powered image processing, Loewe antares offers seamless connectivity and endless streaming options.

Top gaming features such as HDMI 2.1 with 144 Hz VRR @ 4K Ultra HD and a Gaming Mode for cloud and console gaming, controller integration and minimal latency, guarantee high scores.



Vidaa OS

Powered by Loewe os9, Loewe antares provides fast and intuitive access to leading streaming services, including Netflix, Amazon Prime Video, YouTube, Disney+, Apple TV+, Spotify, and many more. Seamless connectivity via Apple AirPlay, Miracast and Matter enhances interaction across devices, while the premium Loewe remote vi with Bluetooth and voice control ensures effortless navigation.

The VIDAA art gallery mode, kids mode and AI comfort features offer even great choice for your personal home entertainment.



Individual sound solutions

Loewe antares always ensures the most optimal sound solutions, from stereo to multi-channel audio with Dolby Atmos and Virtual 3D, thanks to state-of-the-art audio decoders, DSPs, Class D amplifiers and automatic room acoustic calibration via the microphone of the Loewe remote vi. Choose between the integrated Loewe invisible sound, the double-strong, optional Loewe soundbar antares, HDMI eARC for external sound solutions, Bluetooth or the analogue headphone output.

The center speaker input is perfect for home cinema surround sound configurations with the TV serving as the center speaker.



Legendary design

Loewe antares stands out with its sophisticated 360° design, inspired by a widescreen monitor look, which has been meticulously crafted by the Loewe Design & Innovation Studio down to the smallest elements, featuring fine details, genuine high-quality materials and careful manufacturing. Interchangeable onlays, elegant accents and a discreetly integrated cable management system with covers ensure a clean and distinctive appearance from every angle.

A selection of optional accessories and finishes offers infinite possibilities for individual styles that blends seamlessly into any interior.



Flexible setup solutions

Loewe antares offers exceptional flexibility with a universal table stand, numerous floor stand options, even motorized, a spectacular floor2ceiling stand, and different wall mount solutions. The rotating table stand with a brushed aluminium base features three height positions and an integrated cable management. The Loewe invisible sound stereo speaker can be upgraded with the optional Loewe soundbar antares.

Retrofittable fabric smart covers for the rear aluminium onlays for top and bottom of the widescreen in different colours allow infinite individual designs.

Loewe antares

Legendary design, infinite possibilities

TV

Loewe antares 77

Scope of delivery includes TV set with invisible sound and table stand, onlays in alu brushed (mounted) and alu black (packed)

antares 77: W* x H x PD / TD = 172,2 x 104,2 x 6,2 / 33,3
table stand manually rotatable (+/- 45°), concealed cable routing,
three adjustable height positions

	alu brushed + black
	alu black + black

Model	Article
antares 77	65455



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe antares

Legendary design, infinite possibilities

TV

Loewe antares 42-65

Scope of delivery includes TV set with invisible sound and table stand, onlays in alu brushed (mounted) and alu black (packed)


antares 65: W* x H x PD / TD = 145,2 x 88,7 x 27,4

antares 55: W* x H x PD / TD = 123,3 x 76,4 x 27,4

antares 48: W* x H x PD / TD = 107,8 x 67,7 x 22,2

antares 42: W* x H x PD / TD = 94,3 x 60,1 x 22,2

table stand manually rotatable (+/- 45°), concealed cable routing, three adjustable height positions



alu brushed + black

alu black + black

Model	Article
antares 65	65454
antares 55	65453
antares 48	65452
antares 42	65451



Soundbar

Loewe soundbar antares

Passive front-firing soundbar with 80 watts for modular installation at Loewe antares



black

soundbar antares 65651

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe antares

Legendary design, infinite possibilities

Setup solutions

Stand solutions

floor stand motor stellar

antares 77: W* x H x PD / TD = tba

antares 65: W* x H x PD / TD = 145,2 x 128,3 x 5,4 / 49,1

antares 55: W* x H x PD / TD = 123,3 x 116,0 x 5,4 / 35,2

antares 48: W* x H x PD / TD = 107,8 x 107,3 x 5,4 / 35,2

antares 42: W* x H x PD / TD = 94,3 x 99,7 x 5,4 / 35,2

motorized rotatable (+/- 45°), concealed cable routing



floor2ceiling stand

antares 77: W* x H x PD / TD = 172,2 x 220-290 x 6,2 / 16,2

antares 65: W* x H x PD / TD = 145,2 x 220-290 x 5,4 / 16,2

antares 55: W* x H x PD / TD = 123,3 x 220-290 x 5,4 / 16,2

antares 48: W* x H x PD / TD = 107,8 x 220-290 x 5,4 / 16,2

antares 42: W* x H x PD / TD = 94,3 x 220-290 x 5,4 / 16,2

manually rotatable (+/- 110°), concealed cable routing,

height adjustable (220-290 cm), direct mounting without adapter



floor stand flex

antares 77: W* x H x PD / TD = 172,2 x 140,4 x 6,2 / 54,0

antares 65: W* x H x PD / TD = 145,2 x 124,8 x 5,4 / 54,0

antares 55: W* x H x PD / TD = 123,3 x 112,5 x 5,4 / 54,0

antares 48: W* x H x PD / TD = 107,8 x 103,8 x 5,4 / 54,0

antares 42: W* x H x PD / TD = 94,3 x 96,2 x 5,4 / 54,0

manually rotatable (+/- 45°), concealed cable routing,

with or without carrier for accessory tray or soundbar



floor stand grand

antares 65: W* x H x PD / TD = 145,2 x 158,3 x 5,4 / 60,0

antares 55: W* x H x PD / TD = 123,3 x 146,0 x 5,4 / 60,0

antares 48: W* x H x PD / TD = 107,8 x 137,3 x 5,4 / 60,0

antares 42: W* x H x PD / TD = 94,3 x 129,7 x 5,4 / 60,0

manually rotatable (+/- 45°), concealed cable routing



floor stand universal

antares 65: W* x H x PD / TD = 145,2 x 128,2 x 5,4 / 52,5

antares 55: W* x H x PD / TD = 123,3 x 115,9 x 5,4 / 52,5

antares 48: W* x H x PD / TD = 107,8 x 107,2 x 5,4 / 52,5

antares 42: W* x H x PD / TD = 94,3 x 99,6 x 5,4 / 52,5

manually rotatable (+/- 45°), concealed cable routing

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **antares**

Legendary design, infinite possibilities

Setup solutions

Wall solutions

wall mount stellar

antares 65: W* x H x PD / TD = 145,2 x 87,0 x 5,4 / 6,6

antares 55: W* x H x PD / TD = 123,3 x 74,7 x 5,4 / 6,6

antares 48: W* x H x PD / TD = 107,8 x 66,0 x 5,4 / 6,6

flat and tiltable mounting

wall mount universal

antares 77: W* x H x PD / TD = tba

antares 65: W* x H x PD / TD = 145,2 x 87,0 x 5,4 / 9,1

antares 55: W* x H x PD / TD = 123,3 x 74,7 x 5,4 / 9,1

antares 48: W* x H x PD / TD = 107,8 x 66,0 x 5,4 / 9,1

antares 42: W* x H x PD / TD = 94,3 x 60,1 x 5,4 / 9,1

tiltable mounting

wall mount slim 432

antares 77: W* x H x PD / TD = tba


antares 65: W* x H x PD / TD = 145,2 x 87,0 x 5,4 / 7,4

antares 55: W* x H x PD / TD = 123,3 x 74,7 x 5,4 / 7,4

antares 48: W* x H x PD / TD = 107,8 x 66,0 x 5,4 / 7,4

antares 42: W* x H x PD / TD = 94,3 x 58,4 x 5,4 / 7,4

flat mounting and VESA adaption



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe antares

Legendary design, infinite possibilities

Remote control

Loewe remote vi
Remote control with aluminium cover, LED indicators, IR and Bluetooth mode, optional voice control and backlight illumination of the cursor ring



System components

Loewe multi.room amp
Stereo amplifier for multiroom and homecinema installations with 1.200 watts total music power



	Model	Article
 black	multi.room amp	61600

Loewe klang sub1
Wireless subwoofer with 160 watts for lossless, latency-free and vibration-free bass enhancement



 basalt grey	klang sub1	60610
--	------------	-------

We. BOOST
Wireless plug & play home theater system



 ash grey	We. BOOST	64720
---	-----------	-------

We. BOOST center
Home theater center speaker for We. BOOST system



 ash grey	We. BOOST center	64730
---	------------------	-------

Loewe antares

Legendary design, infinite possibilities

Home Automation & Hotel TV

H*****

Loewe TV sets based on the SL8 chassis family offer flexible connectivity and can be seamlessly integrated into hotel and smart home environments via dedicated interfaces.

The **Loewe Hotel TV Mode** offers a powerful stand-alone option, providing a wide range of hotel features right out of the box without requiring any system integration.

The most popular compact screen sizes of Loewe and We. by Loewe TV models feature a Kensington anti-theft lock for protecting them in a hospitality environment.



The **Loewe Hotel API** was specially developed for use in the hospitality industry. This interface enables the direct integration of the television into hotel system solutions. This turns the TV into the central control unit for the entire hotel room, guaranteeing an individually customizable guest experience and tailored comfort.

(H) HOTEZA roomio

The **Loewe Remote API** allows for convenient control of the television in the smart home. Since the interface is already supported by leading home automation providers, integration into individual system solutions is quick and reliable.

basalte **Control4** **CRESTRON** **ELAN**

All detailed information on implemented functions, protocols and drivers is available via Loewe Service.

Loewe **antares**

Legendary design, infinite possibilities

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe antares

77 set

77

Design		
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares
Optional colour variant(s)	alu silver / alu black + black	alu silver / alu black + black
Main materials applied	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending
Service friendly / modular / repairable	●/●/●	●/●/●
Setup solutions: table / floor / wall / ceiling / motorized	●/○/○/○/○	●/○/○/○/○
Sound solutions: passive / active / stereo / multi channel	●/○/●/○	●/○/●/○
Image		
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	195 / 77 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°
Ex-works individual calibration / white D65 / colour RGB	●/●/●	●/●/●
UHD scaling / ABC / AI PQ / Adaptive contrast / 24p	●/●/●/●/●	●/●/●/●/●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2
Acoustic speaker concept	closed bar + passive membranes	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	●(soundbar antare) / — / ●	— / ●(invisible sound) / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	●/●/●/●/●	●/●/●/●/●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	●/●/●/●/●	●/●/●/●/●
Reception		
DVB-T2 / C / S2 / HD / twin triple-tuner	●/●/●/●/●	●/●/●/●/●
DVB radio / 5V / DiSEqC / Unicable / dual channel	●/●/●/●/●	●/●/●/●/●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	●/(VIDAA Smart TV app)	●/(VIDAA Smart TV app)
Voice control: Alexa Skills / other	●/(VIDAA Voice)	●/(VIDAA Voice)
EPG / Timeshift / USB recording / multi recording	●/●/●/●	●/●/●/●
Mediatext (HbbTV) / Teletext / splitscreen	●/●/●	●/●/●
Media player / dlna player / browser	●/●/●	●/●/●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ●/●	TV Channel+ / ●/●
Parental lock / Automatic turn-off / Timer	●/●/●	●/●/●
Software update (via USB / Internet) / Hotel mode	●/●/●	●/●/●
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	●/●/●/●	●/●/●/●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	●/●/●/●	●/●/●/●
TOSLINK / center in / stereo out / cube connector	●/●/●/●	●/●/●/●
Audio out control: fix / variable / sub (3,5 mm)	●/●/● (via menu)	●/●/● (via menu)
Loewe magic.light / magic.motion	— /○(via USB-A 2,0A)	— /○(via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	●(via IP) / ●/●/●	●(via IP) / ●/●/●
Power connection	C17 / C18	C17 / C18
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	tba	tba
EPREL registration No.: https://eprel.ec.europa.eu	2733387	2733387
Energy consumption SDR / HDR (ca. kWh/1000h)	tba	tba
Power consumption cast mode / home automation (watts)	15	15
Power consumption max. @ audio 1/8 volume (watts)	650 W	650 W
Power consumption standby / network standby (watts)	tba	tba
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	tba	tba
W* x H x D (cm) without setup solution	172,2 x 104,5 x 6,2	172,2 x 102,6 x 6,2
W* x H x D (cm) incl. table stand	172,2 x 106,6 x 33,3	172,2 x 104,2 x 33,3
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —
Scope of Delivery		
Speaker	integrated	integrated
Setup solution / rotating	table stand / ●	wall mount universal / fix
Remote control (incl. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	●/● (2,5 m, black)	●/● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand flex wall mount universal wall mount slim 432 multi.room amp	floor2ceiling stand floor stand flex wall mount universal wall mount slim 432 multi.room amp soundbar antares

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe antares

	65 set	55 set	48 set	42 set
Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares	antares	antares
Optional colour variant(s)	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black
Main materials applied	alu, glass	alu, glass	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending	award pending	award pending
Service friendly / modular / repairable	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
Setup solutions: table / floor / wall / ceiling / motorized	●/○/○/○/○	●/○/○/○/○	●/○/○/○/○	●/○/○/○/○
Sound solutions: passive / active / stereo / multi channel	●/○/●/○	●/○/●/○	●/○/●/○	●/○/●/○
Image				
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	800 / 120°	800 / 120°
Ex-works individual calibration / white D65 / colour RGB	●/●/●	●/●/●	●/●/●	●/●/●
UHD scaling / ABC / AI PQ / Adaptive contrast / 24p	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2
Acoustic speaker concept	closed bar + passive membranes	closed bar + passive membranes	closed bar + passive membranes	closed bar + passive membranes
Front firing / down firing / 2-channel crossover	●(soundbar antare) / — / ●	●(soundbar antare) / — / ●	●(soundbar antare) / — / ●	●(soundbar antare) / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
DVB radio / 5V / DiSEqC / Unicable / dual channel	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	●/(VIDAA Smart TV app)	●/(VIDAA Smart TV app)	●/(VIDAA Smart TV app)	●/(VIDAA Smart TV app)
Voice control: Alexa Skills / other	●/(VIDAA Voice)	●/(VIDAA Voice)	●/(VIDAA Voice)	●/(VIDAA Voice)
EPG / Timeshift / USB recording / multi recording	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
Mediatext (HbbTV) / Teletext / splitscreen	●/●/●	●/●/●	●/●/●	●/●/●
Media player / dlina player / browser	●/●/●	●/●/●	●/●/●	●/●/●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ●/●	TV Channel+ / ●/●	TV Channel+ / ●/●	TV Channel+ / ●/●
Parental lock / Automatic turn-off / Timer	●/●/●	●/●/●	●/●/●	●/●/●
Software update (via USB / Internet) / Hotel mode	●/●/●	●/●/●	●/●/●	●/●/●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
TOSLINK / center in / stereo out / cube connector	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
Audio out control: fix / variable / sub (3,5 mm)	●/●/● (via menu)	●/●/● (via menu)	●/●/● (via menu)	●/●/● (via menu)
Loewe magic.light / magic.motion	— /○ (via USB-A 2,0A)	— /○ (via USB-A 2,0A)	— /○ (via USB-A 2,0A)	— /○ (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	●(via IP) / ●/●/●	●(via IP) / ●/●/●	●(via IP) / ●/●/●	●(via IP) / ●/●/●
Power connection	C17 / C18	C17 / C18	C17 / C18	C17 / C18
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F / G	F / G	F / G	G / G
EPREL registration No.: https://eprel.ec.europa.eu	2712700	2712697	2712695	2712688
Energy consumption SDR / HDR (ca. kWh/1000h)	101 / 113	tba	55 / 60	tba
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400 W	300 W	200 W	150 W
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	19,5 / 23,5	16,2 / 20,0	13,8 / 17,2	12,3 / 15,7
W* x H x D (cm) without setup solution	145,2 x 88,9 x 5,4	123,3 x 76,5 x 5,4	107,8 x 67,8 x 5,4	94,3 x 60,2 x 5,4
W* x H x D (cm) incl. table stand	145,2 x 91,2 x 27,4	123,3 x 78,8 x 27,4	107,8 x 70,1 x 22,2	94,3 x 62,5 x 22,2
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —	300 x 200 / —	300 x 200 / —
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 multi.room amp

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe antares

65

55

48

42

Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares	antares	antares
Optional colour variant(s)	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black
Main materials applied	alu, glass	alu, glass	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending	award pending	award pending
Service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○
Sound solutions: passive / active / stereo / multi channel	● / ○ / ● / ○	● / ○ / ● / ○	● / ○ / ● / ○	● / ○ / ● / ○
Image				
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	800 / 120°	800 / 120°
Ex-works individual calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / ABC / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / ● (invisible sound) ●	— / ● (invisible sound) ●	— / ● (invisible sound) ●	— / ● (invisible sound) ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / 5V / DiSEqC / Unicable / dual channel	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● / (VIDAA Smart TV app)	● / (VIDAA Smart TV app)	● / (VIDAA Smart TV app)	● / (VIDAA Smart TV app)
Voice control: Alexa Skills / other	● / (VIDAA Voice)	● / (VIDAA Voice)	● / (VIDAA Voice)	● / (VIDAA Voice)
EPG / Timeshift / USB recording / multi recording	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlina player / browser	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD & AOD / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI: UHD / HDCP 2.2 / HDMI-CEC	4 / 4 / 4	4 / 4 / 4	4 / 4 / 4	4 / 4 / 4
HDMI 2.1: eARC / ALLM / QMS / UHD VRR	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)	1 / 2 / 2 / 2 (144 Hz)
USB-A: number x power	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ● (via menu)	● / ● / ● (via menu)	● / ● / ● (via menu)	● / ● / ● (via menu)
Loewe magic.light / magic.motion	— / ○ (via USB-A 2.0A)	— / ○ (via USB-A 2.0A)	— / ○ (via USB-A 2.0A)	— / ○ (via USB-A 2.0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17 / C18	C17 / C18	C17 / C18	C17 / C18
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F / G	F / G	F / G	G / G
EPREL registration No.: https://eprel.ec.europa.eu	2712700	2712697	2712695	2712688
Energy consumption SDR / HDR (ca. kWh/1000h)	101 / 113	tba	55 / 60	tba
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400 W	300 W	200 W	150 W
Power consumption standby / network standby (watts)	0.4 / 0.6	0.4 / 0.6	0.4 / 0.6	0.4 / 0.6
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	18,0 / 22,0	14,7 / 18,5	12,3 / 15,7	10,8 / 14,2
W* x H x D (cm) without setup solution	145,2 x 87,0 x 5,4	123,3 x 74,7 x 5,4	107,8 x 66,0 x 5,4	94,3 x 58,4 x 5,4
W* x H x D (cm) incl. table stand	145,2 x 88,7 x 27,4	123,3 x 76,4 x 27,4	107,8 x 67,7 x 22,2	94,3 x 60,1 x 22,2
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —	300 x 200 / —	300 x 200 / —
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp, soundbar antares	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp, soundbar antares	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 wall mount stellar, multi.room amp, soundbar antares	floor2ceiling stand, floor stand motor stellar, floor stand flex floor stand universal, wall mount universal, wall mount slim 432 multi.room amp, soundbar antares

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe homecinema

soundbar antares

Audio (acoustic)

Frequency range (ca. Hz) @ ±3 dB	L60-20.000
Orientation front / side / up / rear firing	● / — / — / —
Acoustic speaker concept	closed bar + passive membranes
Channel configuration	2.0 (stereo)
Driver total amount	14
Driver active	2x 25 mm, 4x 64 x 33 mm
Driver passive	8x 70 x 42 mm
2-channel crossover	● passive

Audio (electric)

Frequency range (ca. Hz) @ ±1 dB	20-20.000
Integrated power amplifier	via antares
Power (ca. watts sine / music)	2 x 20 / 2 x 40
Bass and treble control / loudness / night mode	via antares
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via antares
DTS HD / DTS:X	via antares

Connectivity and interfaces

Cube plug stereo	●
Wall mount	via antares

Energy and environment

Ambient temperature while in operation	25-40° C
Relative humidity (non-condensing)	20-90%

Dimensions

Weight (kg)	1.5
W* x H x D (cm)	92,2 x 10,8 x 4,4

Scope of delivery

Remote control (incl. batteries)	via antares
Manual / power cord	● / —

Optional accessories

Selection of recommended setup solutions and audio systems	antares
	floor2ceiling stand
	floor stand flex
	wall mount universal
	wall mount slim 432
	klang sub1
	smart cover

● = available, o = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.